

SIEMENS

08.03.2022 11:28:05 AM

3RW4447-6BC44



SIRIUS soft starter Values at 400 V, 40 °C standard: 432 A, 250 kW Inside-delta: 748 A, 400 kW 200-460 V AC, 230 V AC Screw terminals !!! Phased-out product !!! Successor is SIRIUS 3RW5, Preferred successor type is >>3RW5547-6HA14<<

Notes

Successor:Nachfolger ist SIRIUS 3RW5, Präferierte Nachfolgertyp ist >>3RW5547-6HA14<<

List Price [Show prices](#)

Customer Price [Show prices](#)

DataSheet in PDF [Download](#)

Service & Support (Manuals, Certificates, FAQs...) [Download](#)

Product

Article Number (Market Facing Number)	3RW4447-6BC44
Product Description	SIRIUS soft starter Values at 400 V, 40 °C standard: 432 A, 250 kW Inside-delta: 748 A, 400 kW 200-460 V AC, 230 V AC Screw terminals !!! Phased-out product !!! Successor is SIRIUS 3RW5, Preferred successor type is >>3RW5547-6HA14<<
Product family	3RW44 soft starters
Product Lifecycle (PLM)	PM400:Phase Out Started
PLM Effective Date	Product phase-out since: 01.10.2019
Notes	Successor:Nachfolger ist SIRIUS 3RW5, Präferierte Nachfolgertyp ist >>3RW5547-6HA14<<

Price data

Region Specific PriceGroup / Headquarter Price Group	42H / 42H
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Materials	None
Metal Factor	LAO----

Delivery information

Export Control Regulations	AL : N / ECCN : N
Standard lead time ex-works	50 Day/Days
Net Weight (kg)	11,530 Kg
Packaging Dimension	348,00 x 432,00 x 366,00
Package size unit of measure	MM
Quantity Unit	1 Piece
Packaging Quantity	1

Additional Product Information

EAN	4011209637573
UPC	754554924038
Commodity Code	85371098
LKZ_FDB/ CatalogID	CC-IC10
Product Group	3728
Group Code	R711
Country of origin	Czech Republic
Compliance with the substance restrictions according to RoHS directive	Since: 28.05.2009
Product class	A: Standard product which is a stock item could be returned within the returns guidelines/period.
WEEE (2012/19/EU) Take-Back Obligation	Yes
REACH Art. 33 Duty to inform according to the current list of candidates	

Classifications

	Version	Classification
eClass	6	27-37-09-07
eClass	7.1	27-37-09-07
eClass	8	27-37-09-07
eClass	9	27-37-09-07
eClass	9.1	27-37-09-07
ETIM	5	EC000640
ETIM	6	EC000640
ETIM	7	EC000640

ETIM	8	EC000640
IDEA	4	4740
UNSPSC	14	39-12-15-21
UNSPSC	15	39-12-15-21
